

Home Markets Design Tool Contact Us

Skic all



B



3292

Type	Switches
Product type	Baer Push Button switch
Typical markets	home appliances white goods floor care
Typical applications	espresso machines refrigerators vacuum cleaners
Dimensions	13.5 x 19 mm
Characteristics	single/double pole on/off faston PCB terminals extended life (5E4) customised mounting momentary or latching
Rating	250 VAC, 16 (4) A 1E4, T100 250 VAC, 10 (10) A, 1E4, T100 250 VAC, 8 (8) A, T125 125 VAC, 16 A, ¾ hp. T85
Actuators	plunger square 6 mm
Approvals/Quality	ENEC cUL US



For Product Inquiries

Downloads

Printer friendly version

ROHS_3292

Catalog


For further technical information, please contact our sales representative in your region.

Distribution

Your sales & distribution support

Stock availability check

Dimensions



Circuits



Performance

Preferred range

Partnumber	Terminal	Actuator	Electrical rating @	
			ENEC	
3292-411.01	faston 4.8 x 0.8	-	250 VAC 16 (4) A T100 1E4; 10 (10) A T100 1E4; 8 (8) A T125 5E4	125 VA
1541	mm	-	A	A
3292.410.01	faston 4.8 x 0.8	-	250 VAC 16 (4) A T100 1E4; 10 (10) A T100 1E4; 8 (8) A T125 5E4	125 VA
1541	mm	-	A	A
3292-410.01	faston 4.8 x 0.8	-	250 VAC 16 (4) A T100 1E4; 10 (10) A T100 1E4; 8 (8) A T125 5E4	125 VA

<u>2541</u>	mm		A		A
<u>3292-400.01</u>	faston 4.8 x 0.8	-	250 VAC 16 (4) A T100 1E4; 10 (10) A T100 1E4; 8 (8) A T125 5E4		125 VA
<u>2541</u>	mm		A		A



[Terms of Use](#) [Privacy](#) [Feedback](#) [JE Website](#)