


3673

Manually operated Switches

Rocker

3673

Characteristics	<ul style="list-style-type: none">■ single pole■ change-over (with or without "zero-position")■ snap-in mounting■ quick connect■ μ-gap■ temp. 100/55°
Rating	250 VAC, 6 (3) A 125 VAC, 10 A (for version with "zero"-position)
Dimensions (mm)	Various
Actuator	Rockers in different shapes/colours
Approvals	ENEC, cUL



Preferred Range Switch

Ordering Reference	Illumination	Function	Terminals	Mounting	Rocker	Approvals (ENEC)
3673-600.02 4550	None	I-II	Faston 4,8 mm	Frameless	See below, not mounted	250 VAC 6 (3) A

Preferred Range Rocker


Ordering Reference	Size (mm)	Colour	Form
136-305.0000	14 × 19,8	White	Square
136-301.0000	∅ 20	White	Round
136-332.0000	∅ 20	Black	Round

Specifications


Base	PBT
Rocker	PC
Mechanism	Single pole
Functions	Change-over
Contacts	Ag/Ni
Protection	IP00
Mounting	Snap-in mounting or customised
Tracking Resistance	PTI 250
Glow-wire	850°C
Switch angle	20° I-II, 2 × 10° I-O-II
Contact gap	< 3 mm

Circuit diagram


circuit diagram



circuit diagram




Dimensions




Operating Characteristics

Rocker



Rocker



Ordering Reference

Type 3673

Illumination None

Terminals 4.8 × 0.8 mm

Mounting Snap-in Customised

Rocker White Black

Housing Black

Approvals ENEC 250 VAC, 6 (3) A
UL/CSA 125 VAC, 10 A only for function I-0-II

Standard range switch

Ordering Reference	Illumination	Function	Terminals	Mounting	Rocker	Approvals ENEC	UL
3673-001.01 4551	None	I-0-II	Faston 4,8 mm	Snap-in	Black	250 VAC 6 (3) A	
3673-101.01 4551	None	I-0-II	Faston 4,8 mm	Snap-in	Black		125 VAC 10 A
3673-502.01 4551	None	I-II	Faston 4,8 mm	Snap-in	Black	250 VAC 6 (3) A	
3673-200.01 4550	None	I-0-II	Faston 4,8 mm	Frameless	See below, not mounted	250 VAC 6 (3) A	

Standard range rocker

Ordering Reference	Size (mm)	Colour	Shape
136-312.0000	9,7 × 20	White	Square
136-311.0000	9,7 × 20	Black	Square
136-314.0000	14 × 19,8	Black	Square
136-347.0000		White	Elliptical
136-346.0000		Black	Elliptical